



भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-18062020-219993
CG-DL-E-18062020-219993

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1706]

नई दिल्ली, बृहस्पतिवार, जून 18, 2020/ज्येष्ठ 28, 1942

No. 1706]

NEW DELHI, THURSDAY, JUNE 18, 2020/JYAISHTHA 28, 1942

रेल मंत्रालय

(रेलवे बोर्ड)

अधिसूचना

नई दिल्ली, 18 जून, 2020

का.आ. 1922(अ).—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 24) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 20क के उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह समाधान हो जाने के पश्चात् कि लोक प्रयोजन के लिए ऐसी भूमि का जिसका संक्षिप्त विवरण इससे उपाबद्ध अनुसूची में दिया गया है, पश्चिम बंगाल राज्य के पश्चिम बर्धमान जिले में विशेष रेल परियोजना अर्थात्, ईस्टर्न डेडीकेटेड फ्रेट कॉरिडोर के निष्पादन, रख-रखाव, प्रबन्ध और प्रचालन के लिए अपेक्षित है, ऐसी भूमि का अर्जन करने के अपने आशय की घोषणा करती है;

उक्त भूमि में हितबद्ध कोई व्यक्ति राजपत्र में इस अधिसूचना के प्रकाशन की तारीख से तीस दिन की अवधि के भीतर, उक्त अधिनियम की धारा 20घ की उप-धारा (1) के अधीन पूर्वोक्त प्रयोजन के लिए ऐसी भूमि के अर्जन और उपयोग के संबंध में आक्षेप कर सकेगा;

ऐसा प्रत्येक आक्षेप सक्षम प्राधिकारी अर्थात्, अतिरिक्त जिला मजिस्ट्रेट (भूमि अर्जन), पश्चिम बर्धमान, पश्चिम बंगाल को लिखित में किया जाएगा और उसमें उसके आधार उपवर्णित किए जाएंगे तथा सक्षम प्राधिकारी, आक्षेपकर्ता को व्यक्तिगत रूप से या विधि व्यवसायी के माध्यम से सुनवाई का अवसर प्रदान करेगा और ऐसे सभी आक्षेपों की सुनवाई करने तथा ऐसी अतिरिक्त जांच यदि कोई हो करने के पश्चात् जो सक्षम प्राधिकारी आवश्यक समझे आदेश द्वारा आक्षेपों को या तो अनुज्ञात या अननुज्ञात कर सकेगा;

उक्त अधिनियम की धारा 20घ की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अन्तिम होगा;

इस अधिसूचना के अधीन आने वाली भूमि का रेखांक और अन्य ब्यौरे उपलब्ध है और हितबद्ध व्यक्ति द्वारा उनका सक्षम प्राधिकारी के पूर्वोक्त कार्यालय में निरीक्षण किया जा सकता है।

अनुसूची

पश्चिम बंगाल राज्य कि पश्चिम बर्धमान जिला में विशेष रेल परियोजना, अर्थात् ईस्टर्न डेडीकेटेड फ़ोट कोरीडार के लिए अर्जित की जाने वाली भूमि की संरचना सहित या उसके रहित संक्षिप्त विवरण।

| क्रम संख्या | पुलिस स्टेशन का नाम | मौजा का नाम अधिकारिता सूची संख्या सहित | प्लॉट संख्या | क्षेत्रफल | | अर्जित प्रभाग |
|-------------|---------------------|--|--------------|-----------|-------------|--------------------------------------|
| | | | | एकर मे | हेक्टेयर मे | |
| 1 | रानीगंज | आमकुला-14 (एल. आर.) | 8 | 0.065 | 0.0263 | मध्य भाग |
| | | | 13 | 0.040 | 0.0162 | दक्षिण कोने |
| | | | 18 | 0.035 | 0.0142 | दक्षिण भाग |
| | | | 19 | 0.325 | 0.1316 | उत्तर भाग |
| | | | 20 | 0.040 | 0.0162 | उत्तर कोण |
| | | | 23 | 0.090 | 0.0364 | उत्तर कोण |
| | | | 24 | 0.040 | 0.0162 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | | 25 | 0.020 | 0.0081 | संपूर्ण |
| | | | 26 | 0.010 | 0.0040 | उत्तर कोण |
| | | | 27 | 0.735 | 0.2976 | मध्य भाग |
| | | | 28 | 0.110 | 0.0445 | उत्तर भाग |
| | | | 29 | 0.680 | 0.2753 | मध्य भाग |
| | | | 33 | 0.210 | 0.0850 | दक्षिण भाग |
| | | | 34 | 0.050 | 0.0203 | दक्षिण कोने |
| | | | 35 | 0.510 | 0.2065 | मध्य भाग |
| | | | 36 | 0.240 | 0.0972 | उत्तर कोण वर्जित संपूर्ण प्लॉट |
| | | | 37 | 0.030 | 0.0121 | उत्तर कोण |
| | | | 38 | 0.160 | 0.0648 | उत्तर भाग |
| 2 | | नीमचा-16 (एल. आर.) | 1741 | 5.320 | 2.1530 | मध्य भाग |
| | | | 1859 | 0.100 | 0.0405 | पूर्व भाग |
| | | | 1874 | 0.165 | 0.0668 | उत्तर-पूर्व भाग |
| | | | 1875 | 0.400 | 0.1619 | उत्तर-पूर्व कोण वर्जित संपूर्ण प्लॉट |
| | | | 1876 | 0.060 | 0.0243 | संपूर्ण |
| | | | 1877 | 0.165 | 0.0668 | संपूर्ण |
| | | | 1878 | 0.050 | 0.0202 | दक्षिण-पश्चिम कोण |
| | | | 1879 | 0.050 | 0.0202 | दक्षिण-पश्चिम भाग |
| | | | 1880 | 0.060 | 0.0243 | संपूर्ण |
| | | | 1881 | 0.030 | 0.0121 | दक्षिण-पश्चिम भाग |
| | | | 1888 | 0.030 | 0.0121 | दक्षिण-पश्चिम भाग |
| | | | 1889 | 0.020 | 0.0081 | संपूर्ण |
| | | | 1890 | 0.080 | 0.0324 | संपूर्ण |
| | | | 1891 | 0.060 | 0.0243 | संपूर्ण |
| | | | 1892 | 0.250 | 0.1012 | संपूर्ण |
| | | | 1893 | 0.100 | 0.0405 | संपूर्ण |
| | | | 1894 | 0.290 | 0.1174 | संपूर्ण |
| | | | 1895 | 0.005 | 0.0020 | उत्तर-पूर्व भाग |

| | | | | | |
|--|--|------|-------|--------|--|
| | | 1896 | 0.080 | 0.0324 | उत्तर-पूर्व भाग |
| | | 1899 | 0.360 | 0.1457 | उत्तर-पूर्व भाग |
| | | 1900 | 0.030 | 0.0121 | दक्षिण-पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | 1901 | 0.385 | 0.1558 | दक्षिण-पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | 1902 | 0.140 | 0.0567 | संपूर्ण |
| | | 1903 | 0.010 | 0.0040 | संपूर्ण |
| | | 1904 | 0.035 | 0.0142 | उत्तर-पूर्व कोण वर्जित संपूर्ण प्लॉट |
| | | 1905 | 0.035 | 0.0142 | उत्तर-पूर्व कोण वर्जित संपूर्ण प्लॉट |
| | | 1908 | 0.005 | 0.0020 | दक्षिण-पश्चिम कोण |
| | | 1912 | 0.115 | 0.0465 | उत्तर-पूर्व भाग वर्जित |
| | | 1913 | 0.130 | 0.0526 | संपूर्ण |
| | | 1914 | 0.005 | 0.0020 | दक्षिण-पश्चिम कोण |
| | | 1915 | 0.035 | 0.0142 | पश्चिम भाग |
| | | 1921 | 0.150 | 0.0607 | पश्चिम भाग |
| | | 1922 | 0.295 | 0.1194 | पश्चिम भाग |
| | | 2246 | 0.615 | 0.2489 | पश्चिम भाग |
| | | 2247 | 0.345 | 0.1396 | संपूर्ण |
| | | 2248 | 0.205 | 0.0830 | पश्चिम भाग |
| | | 2249 | 0.260 | 0.1052 | संपूर्ण |
| | | 2250 | 0.195 | 0.0789 | पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | 2251 | 0.190 | 0.0769 | पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | 2255 | 0.130 | 0.0526 | पूर्व भाग |
| | | 2256 | 0.420 | 0.1700 | संपूर्ण |
| | | 2257 | 0.365 | 0.1477 | पूर्व भाग वर्जित |
| | | 2260 | 0.020 | 0.0081 | पश्चिम कोण |
| | | 2261 | 0.120 | 0.0486 | संपूर्ण |
| | | 2262 | 0.290 | 0.1174 | पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | 2263 | 0.005 | 0.0020 | उत्तर-पूर्व कोण |
| | | 2266 | 0.080 | 0.0324 | उत्तर-पूर्व भाग |
| | | 2267 | 0.030 | 0.0121 | उत्तर भाग |
| | | 2268 | 0.080 | 0.0324 | उत्तर भाग |
| | | 2269 | 0.080 | 0.0324 | संपूर्ण |
| | | 2270 | 1.020 | 0.4128 | पश्चिम भाग |
| | | 2271 | 0.595 | 0.2408 | पूर्व भाग |
| | | 2272 | 0.080 | 0.0324 | पश्चिम भाग |
| | | 2372 | 0.020 | 0.0081 | दक्षिण कोने |
| | | 2374 | 0.950 | 0.3845 | मध्य भाग |
| | | 2375 | 0.770 | 0.3116 | मध्य भाग |
| | | 2384 | 0.155 | 0.0627 | पूर्व भाग |
| | | 2401 | 0.085 | 0.0344 | मध्य भाग |
| | | 2461 | 0.165 | 0.0668 | मध्य भाग |
| | | 2470 | 0.100 | 0.0405 | संपूर्ण |
| | | 2471 | 0.130 | 0.0526 | पश्चिम भाग वर्जित |

| | | | | | | |
|---|--|---------------------------|------------|-------|--------|---------------------------------|
| | | | 2475 | 0.500 | 0.2023 | मध्य भाग |
| | | | 2476 | 0.070 | 0.0283 | संपूर्ण |
| 3 | | एगारा.-13 (एल. आर.) | 164 | 0.005 | 0.002 | उत्तर कोण |
| | | | 165 | 0.060 | 0.0243 | दक्षिण-पश्चिम भाग वर्जित |
| | | | 169 | 0.100 | 0.0405 | उत्तर-पूर्व भाग |
| | | | 174 | 0.090 | 0.0364 | पूर्व कोण |
| | | | 175 | 0.005 | 0.0020 | उत्तर-पूर्व भाग |
| | | | 168 | 0.150 | 0.0607 | संपूर्ण |
| | | | 176 | 0.250 | 0.1012 | पूर्व भाग वर्जित |
| | | | 179 | 0.010 | 0.0040 | संपूर्ण |
| | | | 180 | 0.020 | 0.0081 | संपूर्ण |
| | | | 181 | 0.540 | 0.2185 | उत्तर-पूर्व भाग |
| | | | 182 | 0.130 | 0.0526 | पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | | 183 | 0.080 | 0.0324 | संपूर्ण |
| | | | 184 | 0.020 | 0.0081 | पूर्व भाग |
| | | | 186 | 0.610 | 0.2469 | उत्तर-पूर्व भाग |
| | | | 187 | 0.030 | 0.0121 | संपूर्ण |
| | | | 188 | 0.070 | 0.0283 | संपूर्ण |
| | | | 189 | 0.030 | 0.0121 | उत्तर-पूर्व भाग |
| | | | 196 | 0.010 | 0.0040 | पूर्व कोण |
| | | | 201 | 0.120 | 0.0486 | पूर्व कोण |
| | | | 202 | 0.050 | 0.0202 | संपूर्ण |
| | | | 203 | 0.300 | 0.1214 | पूर्व भाग |
| | | | 204 | 0.030 | 0.0121 | पूर्व भाग |
| | | | 205 | 0.070 | 0.0283 | पूर्व भाग |
| | | | 206 | 0.045 | 0.0182 | पूर्व भाग |
| | | | 207 | 0.040 | 0.0162 | पूर्व भाग |
| | | | 208 | 0.020 | 0.0081 | संपूर्ण |
| | | | 209 | 0.010 | 0.0040 | संपूर्ण |
| | | | 210 | 0.300 | 0.1214 | पूर्व भाग |
| | | | 281 | 0.190 | 0.0769 | उत्तर-पूर्व भाग |
| | | | 282 | 0.300 | 0.1214 | उत्तर-पूर्व भाग |
| | | | 283 | 0.020 | 0.0081 | उत्तर-पूर्व भाग |
| | | | 284 | 0.070 | 0.0283 | उत्तर-पूर्व भाग |
| | | | 285 | 0.090 | 0.0364 | पूर्व भाग |
| | | | 301 | 0.105 | 0.0425 | उत्तर-पूर्व भाग |
| | | | 174 / 2658 | 0.005 | 0.0020 | उत्तर-पूर्व भाग |
| | | | 168 / 2657 | 0.150 | 0.0607 | उत्तर-पूर्व भाग |
| | | | 169 / 2832 | 0.180 | 0.0728 | संपूर्ण |
| | | | 180 / 2833 | 0.010 | 0.0040 | संपूर्ण |
| 4 | | बेलेबाथान-09 (एल. आर.) | 1546 | 0.005 | 0.0020 | दक्षिण कोण |
| | | | 1547 | 0.035 | 0.0142 | दक्षिण कोण |
| | | | 1548 | 0.170 | 0.0688 | दक्षिण भाग |
| | | | 1549 | 0.175 | 0.0708 | दक्षिण भाग |

| | | | | | |
|--|--|------|-------|--------|---------------------------------|
| | | 1550 | 0.150 | 0.0607 | संपूर्ण |
| | | 1551 | 0.380 | 0.1538 | दक्षिण भाग |
| | | 1554 | 0.195 | 0.0789 | दक्षिण भाग |
| | | 1556 | 0.410 | 0.1659 | दक्षिण भाग |
| | | 1557 | 0.345 | 0.1396 | उत्तर भाग |
| | | 1558 | 0.115 | 0.0465 | मध्य भाग |
| | | 1561 | 0.015 | 0.0061 | उत्तर-पूर्व कोण |
| | | 1564 | 0.005 | 0.0020 | उत्तर-पूर्व कोण |
| | | 1565 | 0.010 | 0.0040 | दक्षिण भाग |
| | | 1566 | 0.030 | 0.0121 | संपूर्ण |
| | | 1567 | 0.300 | 0.1214 | संपूर्ण |
| | | 1568 | 0.260 | 0.1052 | उत्तर कोण वर्जित संपूर्ण प्लॉट |
| | | 1569 | 0.360 | 0.1457 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | 1570 | 1.490 | 0.6030 | मध्य भाग |
| | | 1571 | 0.220 | 0.0890 | संपूर्ण |
| | | 1577 | 0.170 | 0.0688 | मध्य भाग |
| | | 1589 | 0.040 | 0.0162 | उत्तर भाग |
| | | 1590 | 0.040 | 0.0162 | उत्तर भाग |
| | | 1591 | 0.070 | 0.0283 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | 1592 | 0.290 | 0.1174 | पश्चिम भाग |
| | | 1593 | 0.680 | 0.2752 | दक्षिण भाग |
| | | 1600 | 0.210 | 0.0850 | दक्षिण भाग |
| | | 1628 | 0.160 | 0.0648 | मध्य भाग |
| | | 1666 | 0.020 | 0.0081 | दक्षिण-पूर्व कोण |
| | | 1691 | 0.075 | 0.0304 | पूर्व भाग |
| | | 1692 | 0.310 | 0.1255 | दक्षिण भाग |
| | | 1693 | 0.010 | 0.0040 | उत्तर भाग |
| | | 1710 | 0.020 | 0.0081 | उत्तर भाग |
| | | 1711 | 0.270 | 0.1093 | उत्तर भाग |
| | | 1712 | 0.540 | 0.2185 | दक्षिण भाग |
| | | 1713 | 0.280 | 0.1133 | मध्य भाग |
| | | 1714 | 0.380 | 0.1538 | मध्य भाग |
| | | 1715 | 0.110 | 0.0445 | संपूर्ण |
| | | 1716 | 0.410 | 0.1659 | मध्य भाग |
| | | 1726 | 0.100 | 0.0405 | उत्तर कोण |
| | | 1727 | 0.110 | 0.0445 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | 1728 | 0.220 | 0.0890 | उत्तर भाग वर्जित |
| | | 1729 | 0.025 | 0.0101 | दक्षिण कोण |
| | | 1739 | 0.015 | 0.0061 | दक्षिण कोण |
| | | 1740 | 0.235 | 0.0951 | दक्षिण भाग |
| | | 1741 | 0.180 | 0.0728 | संपूर्ण |
| | | 1742 | 0.005 | 0.0020 | दक्षिण कोण |
| | | 1743 | 0.040 | 0.0162 | दक्षिण कोण |
| | | 1744 | 0.185 | 0.0749 | दक्षिण भाग |

| | | | | | | |
|---|--------|--------------------------|------|-------|--------|---------------------------------|
| | | | 1745 | 0.660 | 0.2671 | दक्षिण भाग |
| | | | 1746 | 0.080 | 0.0324 | संपूर्ण |
| | | | 1747 | 0.310 | 0.1255 | उत्तर भाग |
| | | | 1748 | 0.020 | 0.0081 | उत्तर भाग |
| | | | 1751 | 0.450 | 0.1821 | उत्तर भाग |
| | | | 1752 | 0.240 | 0.0971 | उत्तर भाग |
| | | | 1753 | 0.300 | 0.1214 | उत्तर भाग |
| | | | 1756 | 0.240 | 0.0971 | मध्य भाग |
| | | | 1757 | 0.100 | 0.0405 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | | 1758 | 0.060 | 0.0243 | संपूर्ण |
| | | | 1759 | 0.200 | 0.0809 | दक्षिण भाग |
| | | | 1811 | 0.320 | 0.1295 | मध्य भाग |
| | | | 1817 | 0.200 | 0.0809 | मध्य भाग |
| | | | 1818 | 0.070 | 0.0283 | उत्तर भाग |
| | | | 1819 | 0.060 | 0.0243 | मध्य भाग |
| | | | 1820 | 0.045 | 0.0182 | मध्य भाग |
| 5 | कांकसा | बीरुडीहा-76 (एल. आर.) | 1875 | 0.095 | 0.0385 | मध्य भाग |
| | | | 1877 | 0.060 | 0.0243 | मध्य भाग |
| | | | 1878 | 0.345 | 0.1397 | मध्य भाग |

[फा. सं. 2020/एलएमएल-II/12/2/ईसी/2019]

ए. के. सिन्हा, कार्यकारी निदेशक (भूमि एवं सुविधाएं)

MINISTRY OF RAILWAY

(RAILWAY BOARD)

NOTIFICATION

New Delhi, the 18th June, 2020

S.O. 1922(E).—In exercise of the powers conferred by sub-section (1) of Section 20A of the Railways Act, 1989 (24 of 1989) (hereinafter referred to as the said Act), the Central Government after being satisfied that for the public purpose the land the brief description of which has been given in the schedule annexed hereto is required for the purpose of execution, maintenance, management and operation of the Special Railway Project namely, Eastern Dedicated Freight Corridor in the district of Paschim Bardhaman in the State of West Bengal, hereby declares its intention to acquire such land;

Any person interested in the said land may within a period of thirty days from the date of publication of this notification in the Official Gazette, raise objection to the acquisition and use of such land for the aforesaid purpose under sub-section (1) of Section 20D of the said Act;

Every such objection shall be made to the competent authority namely, Additional District Magistrate (Land Acquisition), Paschim Bardhaman, West Bengal in writing and shall set out the grounds thereof and the competent authority shall give the objector an opportunity of being heard either in person or by legal practitioner and may after hearing all such objections and after making such further enquiry if any as the competent authority thinks necessary by order either allow or disallow the objections;

Any order made by the competent authority under sub-section (2) of Section 20D of the said Act shall be final;

The land plans and other details of the land covered under this notification are available and can be inspected by the interested person at the aforesaid office of the competent authority.

SCHEDULE

Brief description of the land to be acquired with or without structure falling within the proposed Special Railway Project namely, Eastern Dedicated Freight Corridor in the district of Paschim Bardhaman in the State of West Bengal.

Name of District- Paschim Bardhaman

| Sl. No | Police Station | Name of mouza with JL No | Plot No. | Acquisition area | | Affected Portion |
|--------|----------------|--------------------------|----------|------------------|--------|-------------------------------------|
| | | | | Acre | Hect. | |
| 1 | Raniganj | Amkula-14 (L.R.) | 8 | 0.065 | 0.0263 | MIDDLE. |
| | | | 13 | 0.040 | 0.0162 | SOUTHERN CORNER. |
| | | | 18 | 0.035 | 0.0142 | SOUTHERN PORTION. |
| | | | 19 | 0.325 | 0.1316 | NORTHERN PORTION. |
| | | | 20 | 0.040 | 0.0162 | NORTHERN CORNER. |
| | | | 23 | 0.090 | 0.0364 | NORTHERN CORNER. |
| | | | 24 | 0.040 | 0.0162 | FULL PLOT EXCEPT SOUTH CORNER. |
| | | | 25 | 0.020 | 0.0081 | FULL. |
| | | | 26 | 0.010 | 0.0040 | NORTHERN CORNER. |
| | | | 27 | 0.735 | 0.2976 | MIDDLE PORTION. |
| | | | 28 | 0.110 | 0.0445 | NORTHERN PORTION. |
| | | | 29 | 0.680 | 0.2753 | MIDDLE PORTION. |
| | | | 33 | 0.210 | 0.0850 | SOUTHERN PORTION. |
| | | | 34 | 0.050 | 0.0203 | SOUTHERN CORNER. |
| | | | 35 | 0.510 | 0.2065 | MIDDLE PORTION. |
| | | | 36 | 0.240 | 0.0972 | FULL PLOT EXCEPT NORTH CORNER. |
| | | | 37 | 0.030 | 0.0121 | NORTHERN CORNER. |
| | | | 38 | 0.160 | 0.0648 | NORTHERN PORTION. |
| 2 | Raniganj | Nimcha-16 (L.R.) | 1741 | 5.320 | 2.1530 | MIDDLE. |
| | | | 1859 | 0.100 | 0.0405 | EASTERN PORTION. |
| | | | 1874 | 0.165 | 0.0668 | NORTH-EAST PORTION. |
| | | | 1875 | 0.400 | 0.1619 | FULL PLOT EXCEPT NORTH-EAST CORNER. |
| | | | 1876 | 0.060 | 0.0243 | FULL. |
| | | | 1877 | 0.165 | 0.0668 | FULL. |
| | | | 1878 | 0.050 | 0.0202 | SOUTH-WEST CORNER. |
| | | | 1879 | 0.050 | 0.0202 | SOUTH-WEST PORTION. |
| | | | 1880 | 0.060 | 0.0243 | FULL. |
| | | | 1881 | 0.030 | 0.0121 | SOUTH-WEST PORTION. |
| | | | 1888 | 0.030 | 0.0121 | SOUTH-WEST PORTION. |
| | | | 1889 | 0.020 | 0.0081 | FULL. |
| | | | 1890 | 0.080 | 0.0324 | FULL. |
| | | | 1891 | 0.060 | 0.0243 | FULL. |
| | | | 1892 | 0.250 | 0.1012 | FULL. |
| | | | 1893 | 0.100 | 0.0405 | FULL. |
| | | | 1894 | 0.290 | 0.1174 | FULL. |
| | | | 1895 | 0.005 | 0.0020 | NORTH-EAST PORTION. |
| | | | 1896 | 0.080 | 0.0324 | NORTH-EAST PORTION. |

| | | | | | | |
|--|--|--|------|-------|--------|-------------------------------------|
| | | | 1899 | 0.360 | 0.1457 | NORTH-EAST PORTION. |
| | | | 1900 | 0.030 | 0.0121 | FULL PLOT EXCEPT SOUTH-WEST CORNER. |
| | | | 1901 | 0.385 | 0.1558 | FULL PLOT EXCEPT SOUTH-WEST CORNER. |
| | | | 1902 | 0.140 | 0.0567 | FULL. |
| | | | 1903 | 0.010 | 0.0040 | FULL. |
| | | | 1904 | 0.035 | 0.0142 | FULL PLOT EXCEPT NORTH-EAST CORNER. |
| | | | 1905 | 0.035 | 0.0142 | FULL PLOT EXCEPT NORTH-EAST CORNER. |
| | | | 1908 | 0.005 | 0.0020 | SOUTH-WEST CORNER. |
| | | | 1912 | 0.115 | 0.0465 | EXCEPT NORTH-EAST PORTION. |
| | | | 1913 | 0.130 | 0.0526 | FULL. |
| | | | 1914 | 0.005 | 0.0020 | SOUTH-WEST CORNER. |
| | | | 1915 | 0.035 | 0.0142 | WESTERN PORTION. |
| | | | 1921 | 0.150 | 0.0607 | WESTERN PORTION. |
| | | | 1922 | 0.295 | 0.1194 | WESTERN PORTION. |
| | | | 2246 | 0.615 | 0.2489 | WESTERN PORTION. |
| | | | 2247 | 0.345 | 0.1396 | FULL. |
| | | | 2248 | 0.205 | 0.0830 | WESTERN PORTION. |
| | | | 2249 | 0.260 | 0.1052 | FULL. |
| | | | 2250 | 0.195 | 0.0789 | FULL PLOT EXCEPT WEST CORNER. |
| | | | 2251 | 0.190 | 0.0769 | FULL PLOT EXCEPT WEST CORNER. |
| | | | 2255 | 0.130 | 0.0526 | EASTERN PORTION. |
| | | | 2256 | 0.420 | 0.1700 | FULL. |
| | | | 2257 | 0.365 | 0.1477 | EXCEPT EAST PORTION. |
| | | | 2260 | 0.020 | 0.0081 | WESTERN CORNER. |
| | | | 2261 | 0.120 | 0.0486 | FULL. |
| | | | 2262 | 0.290 | 0.1174 | FULL PLOT EXCEPT WEST CORNER. |
| | | | 2263 | 0.005 | 0.0020 | NORTH-EAST CORNER. |
| | | | 2266 | 0.080 | 0.0324 | NORTH-EAST PORTION. |
| | | | 2267 | 0.030 | 0.0121 | NORTH PORTION. |
| | | | 2268 | 0.080 | 0.0324 | NORTH PORTION. |
| | | | 2269 | 0.080 | 0.0324 | FULL. |
| | | | 2270 | 1.020 | 0.4128 | WESTERN PORTION. |
| | | | 2271 | 0.595 | 0.2408 | EASTERN PORTION. |
| | | | 2272 | 0.080 | 0.0324 | WESTERN PORTION. |
| | | | 2372 | 0.020 | 0.0081 | SOUTHERN CORNER. |
| | | | 2374 | 0.950 | 0.3845 | MIDDLE. |
| | | | 2375 | 0.770 | 0.3116 | MIDDLE. |
| | | | 2384 | 0.155 | 0.0627 | EASTERN PORTION. |
| | | | 2401 | 0.085 | 0.0344 | MIDDLE. |
| | | | 2461 | 0.165 | 0.0668 | MIDDLE. |
| | | | 2470 | 0.100 | 0.0405 | FULL. |

| | | | | | | |
|---|--|---------------------------------|----------|--------|--------|----------------------------------|
| | | | 2471 | 0.130 | 0.0526 | EXCEPT WEST PORTION. |
| | | | 2475 | 0.500 | 0.2023 | MIDDLE. |
| | | | 2476 | 0.070 | 0.0283 | FULL. |
| 3 | | Egara-13 (L.R) | 164 | 0.0050 | 0.0020 | NORTHERN CORNER. |
| | | | 165 | 0.060 | 0.0243 | EXCEPT SOUTH-WEST PORTION. |
| | | | 169 | 0.100 | 0.0405 | NORTH-EAST PORTION. |
| | | | 174 | 0.090 | 0.0364 | EASTERN CORNER. |
| | | | 175 | 0.005 | 0.0020 | NORTH-EAST PORTION. |
| | | | 168 | 0.150 | 0.0607 | FULL. |
| | | | 176 | 0.250 | 0.1012 | EXCEPT EASTERN PORTION. |
| | | | 179 | 0.010 | 0.0040 | FULL. |
| | | | 180 | 0.020 | 0.0081 | FULL. |
| | | | 181 | 0.540 | 0.2185 | NORTH-EAST PORTION. |
| | | | 182 | 0.130 | 0.0526 | FULL PLOT EXCEPT WEST CORNER. |
| | | | 183 | 0.080 | 0.0324 | FULL. |
| | | | 184 | 0.020 | 0.0081 | EASTERN PORTION. |
| | | | 186 | 0.610 | 0.2469 | NORTH-EAST PORTION. |
| | | | 187 | 0.030 | 0.0121 | FULL. |
| | | | 188 | 0.070 | 0.0283 | FULL. |
| | | | 189 | 0.030 | 0.0121 | NORTH-EAST PORTION. |
| | | | 196 | 0.010 | 0.0040 | EASTERN CORNER. |
| | | | 201 | 0.120 | 0.0486 | EASTERN CORNER. |
| | | | 202 | 0.050 | 0.0202 | FULL. |
| | | | 203 | 0.300 | 0.1214 | EASTERN PORTION. |
| | | | 204 | 0.030 | 0.0121 | EASTERN PORTION. |
| | | | 205 | 0.070 | 0.0283 | EASTERN PORTION. |
| | | | 206 | 0.045 | 0.0182 | EASTERN PORTION. |
| | | | 207 | 0.040 | 0.0162 | EASTERN PORTION. |
| | | | 208 | 0.020 | 0.0081 | FULL. |
| | | | 209 | 0.010 | 0.0040 | FULL. |
| | | | 210 | 0.300 | 0.1214 | EASTERN PORTION. |
| | | | 281 | 0.190 | 0.0769 | NORTH-EAST PORTION. |
| | | | 282 | 0.300 | 0.1214 | NORTH-EAST PORTION. |
| | | | 283 | 0.020 | 0.0081 | NORTH-EAST PORTION. |
| | | | 284 | 0.070 | 0.0283 | NORTH-EAST PORTION. |
| | | | 285 | 0.090 | 0.0364 | EASTERN PORTION. |
| | | | 301 | 0.105 | 0.0425 | NORTH-EAST PORTION. |
| | | | 174/2658 | 0.005 | 0.0020 | NORTH-EAST PORTION. |
| | | | 168/2657 | 0.150 | 0.0607 | NORTH-EAST PORTION. |
| | | | 169/2832 | 0.180 | 0.0728 | FULL. |
| | | | 180/2833 | 0.010 | 0.0040 | FULL. |
| 4 | | Belabathan- 09(L.R.) | 1546 | 0.005 | 0.0020 | SOUTH CORNER. |
| | | | 1547 | 0.035 | 0.0142 | SOUTH CORNER. |
| | | | 1548 | 0.170 | 0.0688 | SOUTHERN PORTION. |
| | | | 1549 | 0.175 | 0.0708 | SOUTHERN PORTION. |

| | | | | | | |
|--|--|--|------|-------|--------|-----------------------------------|
| | | | 1550 | 0.150 | 0.0607 | FULL. |
| | | | 1551 | 0.380 | 0.1538 | SOUTHERN PORTION. |
| | | | 1554 | 0.195 | 0.0789 | SOUTHERN PORTION. |
| | | | 1556 | 0.410 | 0.1659 | SOUTHERN PORTION. |
| | | | 1557 | 0.345 | 0.1396 | NORTH PORTION. |
| | | | 1558 | 0.115 | 0.0465 | MIDDLE. |
| | | | 1561 | 0.015 | 0.0061 | NORTH-EAST CORNER. |
| | | | 1564 | 0.005 | 0.0020 | NORTH-EAST CORNER. |
| | | | 1565 | 0.010 | 0.0040 | SOUTH PORTION. |
| | | | 1566 | 0.030 | 0.0121 | FULL. |
| | | | 1567 | 0.300 | 0.1214 | FULL. |
| | | | 1568 | 0.260 | 0.1052 | FULL PLOT EXCEPT NORTH CORNER. |
| | | | 1569 | 0.360 | 0.1457 | FULL PLOT EXCEPT SOUTH CORNER. |
| | | | 1570 | 1.490 | 0.6030 | MIDDLE. |
| | | | 1571 | 0.220 | 0.0890 | FULL. |
| | | | 1577 | 0.170 | 0.0688 | MIDDLE. |
| | | | 1589 | 0.040 | 0.0162 | NORTH PORTION. |
| | | | 1590 | 0.040 | 0.0162 | NORTH PORTION. |
| | | | 1591 | 0.070 | 0.0283 | FULL PLOT EXCEPT SOUTH CORNER. |
| | | | 1592 | 0.290 | 0.1174 | WESTERN SIDE. |
| | | | 1593 | 0.680 | 0.2752 | SOUTH PORTION. |
| | | | 1600 | 0.210 | 0.0850 | SOUTH PORTION. |
| | | | 1628 | 0.160 | 0.0648 | MIDDLE. |
| | | | 1666 | 0.020 | 0.0081 | SOUTH-EAST CORNER. |
| | | | 1691 | 0.075 | 0.0304 | EASTERN PORTION. |
| | | | 1692 | 0.310 | 0.1255 | SOUTH PORTION. |
| | | | 1693 | 0.010 | 0.0040 | NORTH PORTION. |
| | | | 1710 | 0.020 | 0.0081 | NORTH PORTION. |
| | | | 1711 | 0.270 | 0.1093 | NORTH PORTION. |
| | | | 1712 | 0.540 | 0.2185 | SOUTH PORTION. |
| | | | 1713 | 0.280 | 0.1133 | MIDDLE. |
| | | | 1714 | 0.380 | 0.1538 | MIDDLE. |
| | | | 1715 | 0.110 | 0.0445 | FULL. |
| | | | 1716 | 0.410 | 0.1659 | MIDDLE. |
| | | | 1726 | 0.100 | 0.0405 | NORTH CORNER. |
| | | | 1727 | 0.110 | 0.0445 | FULL PLOT EXCEPT SOUTH CORNER. |
| | | | 1728 | 0.220 | 0.0890 | EXCEPT NORTH PORTION. |
| | | | 1729 | 0.025 | 0.0101 | SOUTH CORNER. |
| | | | 1739 | 0.015 | 0.0061 | SOUTH CORNER. |
| | | | 1740 | 0.235 | 0.0951 | SOUTH PORTION. |
| | | | 1741 | 0.180 | 0.0728 | FULL. |
| | | | 1742 | 0.005 | 0.0020 | SOUTH CORNER. |
| | | | 1743 | 0.040 | 0.0162 | SOUTH CORNER. |
| | | | 1744 | 0.185 | 0.0749 | SOUTH PORTION. |
| | | | 1745 | 0.660 | 0.2671 | SOUTH PORTION. |

| | | | | | | |
|---|--------|-----------------------|------|-------|--------|-----------------------------------|
| | | | 1746 | 0.080 | 0.0324 | FULL. |
| | | | 1747 | 0.310 | 0.1255 | NORTH PORTION. |
| | | | 1748 | 0.020 | 0.0081 | NORTH PORTION. |
| | | | 1751 | 0.450 | 0.1821 | NORTH PORTION. |
| | | | 1752 | 0.240 | 0.0971 | NORTH PORTION. |
| | | | 1753 | 0.300 | 0.1214 | NORTH PORTION. |
| | | | 1756 | 0.240 | 0.0971 | MIDDLE. |
| | | | 1757 | 0.100 | 0.0405 | FULL PLOT EXCEPT SOUTH CORNER. |
| | | | 1758 | 0.060 | 0.0243 | FULL. |
| | | | 1759 | 0.200 | 0.0809 | SOUTH PORTION. |
| | | | 1811 | 0.320 | 0.1295 | MIDDLE. |
| | | | 1817 | 0.200 | 0.0809 | MIDDLE. |
| | | | 1818 | 0.070 | 0.0283 | NORTH PORTION. |
| | | | 1819 | 0.060 | 0.0243 | MIDDLE. |
| | | | 1820 | 0.045 | 0.0182 | MIDDLE. |
| 5 | Kanksa | Birudiha-76 (L.R.) | 1875 | 0.095 | 0.0385 | MIDDLE. |
| | | | 1877 | 0.060 | 0.0243 | MIDDLE. |
| | | | 1878 | 0.345 | 0.1397 | MIDDLE. |

[F. No. 2020/LML-II/12/2/EC/2019]

A. K. SINHA, Executive Director (Land and Amenities)